

Save the trees Save the Earth

Mineral core planks MgO raw material


Darekaou (Changzhou) Decorative Materials Co., Ltd.

Site: www.darekaoufloor.com



About US

Darekaou (Changzhou) Decorative Materials Co., Ltd. is always focusing on manufacturing good quality building materials and developing new technologies to support our clients with better options. We are now providing mineral core flooring, SPC flooring, Water resistant laminate floor for partitions. Our products can be trusted and accepted for all applications of buildings and homes.



Product Structure



Valinge 2G-FD click system








T&G system



MGO Flooring Specifications

Mineral Core flooring T&G size(wood)	1208mm(L)*191mm(W)*8.2mm(T)
Mineral Core flooring T&G size(stone)	599mm(L)*294mm(W)*8.2mm(T) 802mm(L)*395mm(W)*8.2mm(T)
Mineral Core flooring Click size(wood&stone)	1215mm(L)*150--197mm(W)*8.2mm(T)
Applicatinon	residential and commercial and public
Wearing resistance	AC4-AC5
Formaldehyde	ND
Fire-Resistance	class A(ASTM E84)
Thickness Swell	≤3%(soaked in the water more than 24h)
Bending strength	≥20Mpa
Elasticity Modululus	≥3500Mpa
Surface/Internal Bonding strength	≥1.2Mpa
Thermal Conductivity	0.198W/(m·k)

Why MgO Flooring



Certification

SGS 170902540930
 测试报告 报告编号: ASH18-04117-01 报告日期: 2018-02-05

CE TEST CERTIFICATE
 FOR PERFORMANCE CHARACTERISTICS OF CONSTRUCTION PRODUCTS FOR THE CE MARKING
 BOD-18-03-26-01
 Products: SPC floor coverings - Vinyl floorings
 Structure: Marble gran with light embossed raindrop pattern
 Thickness: 3.2 - 6.0 mm

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:
DingMing New Materials (Changzhou) Co., Ltd.
 69 West Huling Road, Zhonglou District, Changzhou City, Jiangsu Province, China
 For the following product(s):
Polymeric:
 MgO Flooring (Maximum thickness: 12.2mm)
 MgO Flooring with IXPE (Maximum thickness: 13.7mm)
 The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):
FloorScore®
 Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0
 Conforms to the CDPH/ELB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as flooring.
 Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/ELB Standard Method v1.2-2017)
 Registration # SCS-FS-07359
 Valid from: October 7, 2021 to October 31, 2022
 SCS Global Services is currently the only certification body approved by the National Floor Covering Institute (NFCI) to provide FloorScore® product certification. Certified products are only listed on the SCS Green Products Guide. <http://www.scsglobal.com/certification/certification-green-products-guide>

NOA
 QUALITY MANAGEMENT SYSTEM CERTIFICATE
 This is to Certify that the QUALITY MANAGEMENT SYSTEM of
DingMing New Materials (ChangZhou) Co., Ltd.
 Registered Address: 69 West Huling Road, Zhonglou District, Changzhou City, Jiangsu, China
 Audit Address: 69 West Huling Road, Zhonglou District, Changzhou City, Jiangsu, China
 has been assessed by NOA Certification and found to comply with
GB/T 19001-2016 idt ISO9001:2015
 for the scope of
 MgO Flooring's manufacture and sales
 Certificate Number: NOA2112980
 Unified Social Credit Code: 91320400MA22M8Y780
 Initial Certification Date: 13 Oct. 2021
 Surveillance Audit Pass Label: Surveillance 1 Audit Pass Label, Surveillance 2 Audit Pass Label, Surveillance 3 Audit Pass Label
 Certification Manager
 Certificate Issue Date: 13 Oct. 2021 Certificate Expiry Date: 12 Oct. 2024
 This certificate is issued by NOA testing & certification, the certificate holder shall accept surveillance audit by NOA and the certificate shall be renewed by NOA prior to its expiry date as required. To verify the validity of certificate, please visit www.noagroup.org. The certificate information is also available on the CNCA official website: www.cnca.gov.cn.
NOA Certification Service
 Add: Building 26, Lane 2777, East Anxiu Road, Free Trade Zone, Shanghai, China Email: nao@noagroup.org

The Floor Manufacturer You Can Trust



color

Abundant color
options always available



7704



7704



7701



7702



7703



7720



7704




7701



7702



7703



7720

color

Abundant color
options always available



7804



7804



7803



7805



7811



7880



7804




7803



7805



7811



7880

color

Abundant color
options always available



YDM054




YDM1K1



YDM043



YDM053




YDM054




YDM1K1



YDM043



YDM053



YDM054

color


Abundant color
options always available



YDM131



YDM092



YDM131



YDM183



YDM197



YDM092



YDM131



YDM183



YDM197

color

Abundant color
options always available



HDM22S



HDM22S



HDM33S



HDM61S



HDM262S



YDM433



YDM761



HDM22S




HDM33S



HDM61S



HDM262S



YDM433



YDM761



Free to contact us



E-mail : Bluewater@skytops.com

Tel: +86-13585317526

**Address: Room 705-706, ECO Bldg, East
Guanhe Road, Tianning District,
Changzhou City, Jiangsu Province, China**

Site: www.darekaoufloor.com